

Notice of Allowability

Application No.

09/815,987

Examiner

Kevin C. Harper

Applicant(s)

SENTHIL ET AL.

Art Unit

2666

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Original filing, 22 March 2001.
2. ☒ The allowed claim(s) is/are 1-8.
3. ☒ The drawings filed on 22 June 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Allowable Subject Matter

1. Claims 1-8 are allowed.

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Findlater et al. (US 2002/0126684) discloses using SMII (fig. 24; paras. 44-46). Kim (US 2003/0099253) discloses delaying a synchronization signal for SMII (abstract; fig. 4, item 33; para. 49). Loh et al. (US 2003/0061341) discloses a MII-SMII converter (fig. 2, item 203; para. 21, lines 7-9) in synchronized operation (fig. 7, step 775; fig. 5; para. 30). The Intel Development Kit Manual ("LXD9785 PQFP Demo Board with FPGA for RMII-to-MII Conversion") discloses RMII-MII converters (page 8, fig. 1).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Harper whose telephone number is 571-272-3166. The examiner can normally be reached weekdays from 11:30 AM to 8:00 PM ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema S. Rao, can be reached at 571-272-3174. The centralized fax number for the Patent Office is 703-872-9306.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only (applications must be associated with a customer number). For more information about the PAIR system, see pair.uspto.gov. Should

Application/Control Number: 09/815,987

Page 3

Art Unit: 2666

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Kevin C. Harper



DANG TON
PRIMARY EXAMINER

November 19, 2004